

Pioneer



Pioneer

PIONEER INDIA ELECTRONICS PVT. LTD.

Unit No. 3, 10th Floor, Ambience Corporate Tower-II
Plot No. 3, Ambience Island, NH-8, Gurugram (Haryana)-122002, India
T: 0124-4636100

For Sales Inquiry: sales_india@pioneer.com.sg

Visit us at: www.pioneer-india.in

Pioneer India App Available on



Scan to Connect



Toll Free No.: 1800 103 5787

Published by Pioneer India Electronics Pvt. Ltd. All rights reserved. Pictures and diagrams shown are graphical representation, actual product may differ. Specifications mentioned may differ and are subject to availability. Product information and price are subject to change without any prior notice. Pioneer does not guarantee compatibility with all the mentioned smartphones & OS versions in the catalogue.

Watching videos while driving is prohibited. Videos are played on the headunit when car is in parked condition.

Android, Android Auto, Google Play, and other logos are trademarks of Google Inc.
Android Auto is available with Android phone running Android 5.0 (Lollipop) or higher with a data plan. Please visit <http://www.android.com/auto> for more information.

Apple, iPhone, iTunes, Siri, CarPlay and the CarPlay logos are trademarks of Apple Inc., registered in the U.S. and other countries.
Apple CarPlay is available on Apple iPhone 5 or later with iOS 7.1 or higher, and requires Lightning to USB cable.

Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



GET CONNECTED

2023





experience to believe

Pioneer brings to you Amazon's cloud-based voice service, Alexa as your companion, to make your driving experience absolutely smooth and seamless.



DMH-F9350BT

Floating Type 1-DIN Multimedia AV Receiver with 22.9 cm (9) Capacitive HD Touchscreen Display, Built-in Wi-Fi, Amazon Alexa, Apple CarPlay (Wireless), Android Auto (Wireless), Built-in Bluetooth® and Full HD Video Playback from USB Device and Video Output for rear seat screen.



Compatible with Amazon Alexa, Wireless Apple CarPlay and Wireless Android Auto.
Web browsing, Streaming video-music, Real-time information (e.g. sports games) with Wi-Fi connection and CarAVAssist app.
Superior in-car AV performance with Master Sound Reviver, Hi-Res Audio and Full HD video playback via USB.

DMH-Z F8550BT

22.9 cm (9) Capacitive WSVGA Touchscreen Display, Built-in Wi-Fi, Wireless & Wired Apple CarPlay, Wireless & Wired Android Auto, WebLink®, WebLink® Cast, Built-in Bluetooth®, Full HD Video Playback from USB Device

22.9 cm
(9)
FLOATING



- Large Screen with the latest technology
- Advanced connectivity with smartphone
- High-performance AV features
- Split screen for CarPlay & Android Auto
- Floating & In-dash installation
- Apple CarPlay & Android Auto
- WebLink® Cast (iPhone/Android™)
- Sound tuning & manual time alignment
- Light and dark mode



DMH-AF555BT

Floating Type Multimedia AV Receiver

22.9 cm (9) Capacitive WSVGA, Touchscreen Display, WebLink®, WebLink® Cast, Built-in Bluetooth® and Full HD Video Playback from USB Device

- Sleek cosmetic with 22.9 cm (9) full-flat capacitive touch screen
- Smartphone mirroring via WebLink® Cast (iPhone/Android™)
- High-performance AV features




Floating Installation

The floating display configuration allows a large display to be installed using a universal 2-DIN chassis




Adjustable Screen (manual)



High-performance AV features

Sound Tuning

Detailed tuning features realize comfortable quality for your time in the car.



Smartphone mirroring via WebLink® Cast (iPhone/Android™)

WebLink™ for smartphone mirroring with touch control on iOS and Android via WebLink™ Cast app.

WebLink™ for Pioneer AV receivers expands in-car entertainment with an amazing world of apps. Enjoy personalized music, videos, and other connected content powered by your phone and the cloud.




Full HD Video from USB Devices

New AV receivers can play Full HD (1080p) video from files encoded in various digital formats that are stored in your easy-to-connect USB devices.




DMH-ZS9350BT

Separate Type Multimedia AV Receiver with 22.9 cm (9) Capacitive HD Touchscreen Display, Built-in Wi-Fi, Amazon Alexa, Apple CarPlay (Wireless), Android Auto (Wireless), Built-in Bluetooth® and Full HD Video Playback from USB Device and Video Output for rear seat screen.



DMH-Z6350BT

In-Dash Double-DIN Multimedia AV Receiver with Short Chassis and 17.3 cm (6.8) Capacitive WVGA Touchscreen Display, Built-in Wi-Fi, Amazon Alexa, Apple CarPlay (Wireless), Android Auto (Wireless), Built-in Bluetooth® and Full HD Video Playback from USB Device and Video Output for rear seat screen.



BUILT-IN ALEXA

- Compatible with Amazon Alexa, Wireless Apple CarPlay and Wireless Android Auto.
- Web Browsing, streaming video-music, Real-time information (e.g. sports games) with Wi-Fi connection and CarAVAssist app.
- Superior in-car AV performance with Master Sound Reviver, Hi-Res Audio and Full HD video playback via USB.

COMMON FEATURES FOR DMH-ZS9350BT AND DMH-Z6350BT



amazon alexa

Note: Bluetooth® Mic included.
Amazon, Alexa and all related logos are trademark of Amazon.com, Inc. or its affiliates. Alexa is not available in all languages and countries.



DMH-A4450BT

Multimedia Receiver with 17.3 cm (6.8) WVGA Capacitive Touchscreen Display, LED backlight, Android Auto (Wired), Apple CarPlay (Wired), Android Phone Mirroring (AutoLink App), built-in Bluetooth, HD Video Playback and Video output for rear screen seat.



DMH-A5450BT



Multimedia Receiver with 17.3 cm (6.8) WVGA Capacitive Touchscreen Display, LED backlight, Android Auto (Wired & Wireless), Apple CarPlay (Wired & Wireless), Android Phone Mirroring (AutoLink App), WebLink™ cast, built-in Bluetooth, HD Video Playback and Video output for rear seat screen.



COMMON FEATURES FOR DMH-A4450BT AND DMH-A5450BT




USB Mirroring (Autolink for DMH-A4450BT only and Autolink & Weblink for DMH-A5450BT)

It allows you to display and content your Android Smartphone on the screen of your Head Unit. Enjoy your favorite App on the large screen display and with impressive sound Quality. USB Mirroring lets you enjoy compatible smartphones apps in the car with the help of Launcher app to compatible Android phone. You can operate USB Mirroring compatible applications with finger gestures such as tapping, dragging, scrolling, or flicking on the screen of this product.



(Wired & Wireless for DMH-A5450BT)
(Wired for DMH-A4450BT)

"CarPlay is a smarter, safer way to use your iPhone in the car that allows you to stay focussed on the road and get direction, make calls, send and receive messages and listen to music. Optimization of major smartphone apps for driving (Map, Music, Message, etc.) and also Voice command with Siri."



(Wired & Wireless for DMH-A5450BT)
(Wired for DMH-A4450BT)

Android Auto in a car is designed in a way that's purpose-built for driving. It automatically brings useful information and organizes into simple cards that appear just when they're needed. It's designed to minimise distraction so you can stay focused on the road ahead. Optimization of major smartphone apps for driving (Map, Music, Message, etc.) and also Voice command with Google Assistance.





DMH-A345BT

Multimedia Receiver with 17.3 cm (6.8) WVGA Capacitive Touchscreen Display, Weblink™ Cast for Android & iPhone Mirroring, HD Video Playback from USB Device and Video output for rear seat screen.

USB Mirroring

"Weblink™ for Pioneer AV Receivers expands in-car entertainment with an amazing world of App. Enjoy personlaized music, videos, and other connected content powered by your smartphone. Weblink™ is a delivery platform to support multiple types of compatible apps for in-vehicle infotainment. "

Video Output

It Allows rear seat passenger to enjoy Audio or Video content from USB Drive on additional rear seat monitor.

Sound tuning

Detailed tuning features realize comfortable quality for your time in the car.

Rear View Camera Input

Rear View Camera enable you to get assistance at rear visibility like parking.

Compatible with Full HD Video codec from USB device

Broad playability makes it possible to enjoy various contents in your USD device. Can Play full HD (1080p) video from files encoded in various digital formats that are stored in your easy to connect USB devices.



DMH-A245BT

Multimedia Receiver with 15.7 cm (6.2) WVGA Clear Resistive Touchscreen Display, LED backlight, Weblink (Mirror Cast) for Android & iPhone Mirroring, built-in Bluetooth, HD Video Playback from USB Device and Video output for rear seat screen..

UNLEASH NEXT LEVEL CONNECTIVITY



USB Mirroring

"Weblink for Pioneer AV Receivers expands in-car entertainment with an amazing world of App. Enjoy personlaized music, videos, and other connected content powered by your smartphone. Weblink™ is a delivery platform to support multiple types of compatible apps for in-vehicle infotainment. "

Compact Chassis

"Vehicle with limited depth behind the dash prohibits the installation of traditional 2-DIN Receiver. The compact depth of this receiver provides optimal easy and flexibility of installation."

Music For Audiophiles' Ears

This car multimedia receiver offers FLAC file* playback capability at up to 48 kHz/24 bit high resolution CD-quality audio playback. It is also loaded with audio settings to enhance your music listening experience including a 13-band EQ with slope adjustments, time alignment, three-way network mode, auto EQ, Pioneer's proprietary Sound Retriever AIR, and high voltage preouts. *For the files stored in USB thumbdrive.

Full HD Video from USB Devices

New AV receivers can play Full HD (1080p) video from files encoded in various digital formats that are stored in your easy-to-connect USB devices.

DMH-Z5290BT




Mechaless connected touchscreen player with playable smartphone videos, Android Auto, Apple CarPlay, Full HD video playback and many more Built-In features. Inspiring new interface design, which is highly responsive and customizable.

The improved flexibility and easier operation ensures engaging user experience. It comes with many other superb features like YouTube via WebLink. Built-in Bluetooth and more.

Common Features

- 17.6 cm (7) Resistive Display
- AA/CP, Weblink
- Spotify
- Dual Camera Input
- Preout-3 (4V)



DMH-G229BT



Common Features

- Front USB slot
- Built-in Mic for hassle free installation
- Built-in Bluetooth for hands free calling & audio streaming
- Steering wheel control for various cars
- Audio tuning options – 7 Band EQ, 2 RCA pre-outs, Listening position select, Speaker level adjust & Bass boost
- Various Color theme options



15.75 cm (6.2) Mechaless Touchscreen, AUX/USB/FM/BT, 7 Band EQ

Pioneer Connectivity Explained

| |  |  |  |  |  | USB Mirroring |  |
|--------------|---|---|---|---|---|---------------|---|
| DMH-ZF9350BT | Wired & Wireless | Wired & Wireless | Yes | Yes | | | |
| DMH-ZS9350BT | Wired & Wireless | Wired & Wireless | Yes | Yes | | | |
| DMH-ZF8550BT | Wired & Wireless | Wired & Wireless | | Yes | Yes | Yes | |
| DMH-Z6350BT | Wired & Wireless | Wired & Wireless | Yes | Yes | | | |
| DMH-Z5290BT | Wired | Wired | | | Yes | | |
| DMH-A5450BT | Wired & Wireless | Wired & Wireless | | | Yes | Yes | Yes (Android phones) |
| DMH-AF555BT | | | | | Yes | Yes | |
| DMH-A4450BT | Wired | Wired | | | | Yes | Yes (Android phones) |
| DMH-A345BT | | | | | Yes | Yes | |
| DMH-A245BT | | | | | Yes | Yes | |

Apple CarPlay

Apple iPhone 5 or later with iOS 7.1.2 or higher, and requires Lightning to USB cable. Some phones may not compatible with this product. Please contact the local distributor for details. For more detail, please visit <http://www.apple.com/ios/carplay>

Android Auto

Android phone running Android 7.0 or higher, an active data For more detail, please visit <https://www.android.com/auto/>

WebLink®

iPhones with iOS version 13.0 and above
Android phones with Android ver.7.0 and above. Only certified phones by WebLink as listed in the following site:
<https://support.google.com/googleplay/answer/1727131?hl=en>

USB Mirroring

Android phones with Android ver. 5.0 and above (up to OS10 as of May, 2021.)




Comparison Chart - AV Players

| Media & Connectivity | DMH-ZF9350BT | DMH-ZS9350BT | DMH-Z6350BT | DMH-ZF8550BT | DMH-AF555BT | DMH-Z5290BT | DMH-A5450BT | DMH-A4450BT | DMH-A345BT | DMH-A245BT | DMH-G229BT |
|--|-------------------------------|-------------------------------|-------------------------------|------------------|------------------|------------------|--------------------|--------------------|--------------------|--------------------|------------------|
| Media Source | Amazon Alexa/USB/AUX/BT/Radio | Amazon Alexa/USB/AUX/BT/Radio | Amazon Alexa/USB/AUX/BT/Radio | USB/AUX/BT/Radio | USB/AUX/BT/Radio | USB/AUX/BT/Radio | USB/AUX/BT/Radio | USB/AUX/BT/Radio | USB/AUX/BT/Radio | USB/BT/AUX/Radio | USB/AUX/BT/Radio |
| Touch Screen | Capacitive | Capacitive | Capacitive | Capacitive | Capacitive | Clear Resistive | Capacitive | Capacitive | Capacitive | Resistive | Clear Resistive |
| HDMI input | Yes | Yes | Yes | - | - | - | - | - | - | - | - |
| USB interface | Rear x 1 | Rear x 1 | Rear x 1 | Rear x 1 | Rear x 1 | Rear x 1 | Rear x 1 | Rear x 1 | Rear x 1 | Front x 1 | Front x 1 |
| Android Auto | Yes (Wireless)* | Yes (Wireless)* | Yes (Wireless)* | Yes (Wireless) | - | Yes (Wired) | Yes (Wireless)* | Yes (Wired) | - | - | - |
| Apple CarPlay | Yes (Wireless)* | Yes (Wireless)* | Yes (Wireless)* | Yes (Wireless) | - | Yes (Wired) | Yes (Wireless)* | Yes (Wired) | - | - | - |
| SmartPhone Connect | - | - | - | Yes (Weblink) | Yes (Weblink) | Yes (WebLink) | Yes (Weblink Cast) | Yes (Autolink) | Yes (Weblink Cast) | Yes (Weblink Cast) | - |
| Full HD videos playback by USB/SD Card | Yes (USB only) | Yes (USB only) | Yes (USB only) | Yes (USB only) | Yes (USB only) | Yes (USB only) | Yes (USB) | Yes (USB) | Yes (USB) | Yes (USB) | - |
| Smartphone videos & YouTube | Yes (CarAVAssist App) | Yes (CarAVAssist App) | Yes (CarAVAssist App) | Yes (Weblink) | Yes (Weblink) | Yes (WebLink) | Yes (Weblink Cast) | Yes (Weblink Cast) | Yes (Weblink Cast) | Yes (Weblink Cast) | - |
| HDD support | Yes | Yes | Yes | Yes | Yes | Yes | - | - | - | - | - |
| Bluetooth | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Direct control for iPhone | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | - |
| Audio & Video | | | | | | | | | | | |
| Display (cm) | 22.9 cm (9) | 22.9 cm (9) | 17.3 cm (6.8) | 22.9 cm (9) | 22.9 cm (9) | 17.3 cm (6.8) | 17.3 cm (6.8) | 17.3 cm (6.8) | 17.3 cm (6.8) | 15.75 cm (6.2) | 15.75 cm (6.2) |
| Color customization | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Back ground picture & video | 2 BGP, 2 BGV | 2 BGP, 2 BGV | 2 BGP, 2 BGV | 2 BGP, 2 BGV | 2 BGP, 2 BGV | 5 BGP, 2 BGV | 5 BGP | 5 BGP | 5 BGP | BGP | 2 BGP |
| Pre-Out | 3(4V) | 3(4V) | 3(4V) | 3(2V) | 3(2V) | 3(4V) | 3 Pre Out (2V) | 3 Pre Out (2V) | 3 Pre Out (2V) | 3 Pre Out (2V) | 2(2V) |
| Equalizer | 13 Band | 13 Band | 13 Band | 13 Band | 13 Band | 13 Band | 13 Band | 13 Band | 13 Band | 13 Band | 7 Band |
| Auto EQ/ Time Alignment | Manual TA | Manual TA | Manual TA | Manual TA | - | Yes | - | - | - | - | - |
| HPF/LPF settings by swipe | Yes | Yes | Yes | Yes | Yes | Yes | Manual | Manual | Manual | Manual | Manual |
| Listening position select | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | - | - | - |
| Advanced sound retriever | Yes | Yes | Yes | Bass Boost | Bass Boost | Yes | Bass Boost | Bass Boost | Bass Boost | Bass Boost | - |
| FLAC Playback | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | - |

*Android Auto and Apple CarPlay work through wire also.

MVH-S329BT



SmartSync ready 2 DIN Player with short chasis.
Audio Source: BT, USB, AUX, Radio & Smartphones (Via Pioneer Smart Sync App)

- Pioneer SmartSync App Compatible with Android phones only
- Front USB slot
- Advanced Audio settings : Subwoofer Control, Loudness, HPF control, SLA, Sound retriever
- Built-in Bluetooth for hands free calling & audio streaming
- Steering wheel control for various cars



*Pioneer SmartSync App Compatible with Android phones only

SPH-C19BT



DO THE NEW GOOD THING WITH PIONEER SMART SYNC



1 DIN Mechaless BT/USB with Pioneer Smart Sync App compatibility featuring Alexa. Now manage your calls, messages and many more features through Alexa.

Advanced Connectivity



Road Safety



Superior Audio Tuning



Great Entertainment



Hard keys to control the key features

| | | | | | |
|--|--|---|--|--|---|
| Music Source Use this key to switch between compatible music sources | Menu / App Launch Press this key to access the menu and settings | Navigation One-Touch Control for launching the Navigation Application | Voice Recognition Press this key to access Navigation, Music, Phone book* via Voice Commands | Messages Any new incoming message can be read out by the system. User can select from various compatible messaging apps. | Calling Press this key to receive or hang up a call. Pressing this key also opens up contact list on the phone. |
|--|--|---|--|--|---|

| Model | SPH-C19BT | MVH-S329BT | MVH-S219BT |
|--------------------------------|---|---|------------------------|
| Din Size | 1 Din | 2 Din | 1 Din |
| Display | 8 Character | 13 character + info display | 8 character |
| Preouts | 2 | 2 | 1 |
| Media | BT/USB/FM/Smartphone App | BT/USB/FM/Smartphone App | BT / USB / AUX / Radio |
| USB interface | Front | Front | Front |
| Quick charge for Android (CDP) | Yes | Yes | - |
| Smartphone App Control | Pioneer Smart Sync with Amazon Alexa (ANDROID & iPhone) | Pioneer Smart Sync with Amazon Alexa (ANDROID only) | - |
| ARC BT HUB | - | - | - |
| Direct control for ipod/iphone | Yes | - | - |
| Sound Enhancer | 31-Band EQ, Live Simulation (with App) | Advanced sound retriever | - |
| Mixtrax | - | Yes | - |
| Equalizer | 13-band & 31-band (with app) | 13-band & 31-band (with app) | Bass / Treble |
| Time alignment | Yes (via app) | Yes (via app) | - |
| Bass enhancer | Dynamic bass Enhancer (with app) | Bass Boost (Direct Key) | - |
| FLAC playback* | Yes | - | - |
| Color customization | Yes | - | - |

Compatible with Pioneer ND-PS1 Rear Parking Sensors

SPH-C19BT has Parking Sensor input. While reversing the car, distance information can be seen on the phone, on the headunit display and a beep sound can also be heard.

- Distance info. in Phone Display & Headunit display ▪ Illumination effect in the Headunit ▪ Beep sound ▪ Parking sensors with 4 sensors (Black color)
- Farthest detection distance : 2.5 m ▪ Min distance : 30 cm
- 19 mm hole saw included ▪ IP67 rated

ND-PS1



Note: Compatible with SPH-C19BT only.

- Most affordable branded 1 Din BT player
- 8-Character display
- In-Built Mic for Hassle free installation
- Direct key to make/receive calls
- Bass/Treble Control
- Audio Source: Bluetooth, BT, USB, AUX, Radio, & Android Phones



MVH-S219BT

SPEAKERS



TS

VR

FLAGSHIP SPECIAL EDITION

170C

Based on the spirit of "Takumi" craftsmanship by our top engineers in Japan, the TS-VR170C (Flagship Special Edition, made in Japan) is able to achieve the purest authentic sound from any sound source. This is the result of integrating our decades of knowledge, technology, and craftsmanship in speakers with carefully curated material and parts.

By utilizing Pioneer's highly advanced technology, we have attained the highest accuracy in sound quality for the car.

As a result, TS-VR170C has super-rich details, excellent spatial depiction, superb reproduction with a sense of reality and presence.

17 cm COMPONENT SPEAKER PACKAGE

Super realistic and high quality sound designed for flagship.

"Dual-layer Carbon Fiber Cone" for three-dimensional instrument & vocal sound (for Woofer).

"Dual Arc Ring Aluminum Diaphragm" with Pioneer Original Technology crafted in Japan (for Tweeter).

Aluminum die-cast basket, big tweeter and large-sized crossover network supports bi-amp connection.



High Resolution
Speaker

DESIGNED
& MADE IN
JAPAN



SPECIAL EDITION COMPONENT SPEAKER

HIGH FIDELITY SPECIAL EDITION



TS-V170C



The TS-V170C (High Fidelity Special Edition) is the breakthrough result of combining Pioneer's speaker engineering expertise and new design techniques to achieve high fidelity sound.

By incorporating Pioneer's "Open & Smooth" sound concept, we can eliminate the attenuation and turbulence of the midrange in the car.

With the combination of carefully selected high-quality parts and materials, we can achieve rich mid-range reproduction thus create a realistic experience for the listener.

17 cm COMPONENT SPEAKER PACKAGE

"Open & Smooth" sound concept and high resolution playback that reproduce spatial details and a sense of presence.

Dedicated crossover network that realizes seamless integration of high and low frequencies.

By using the attached multi-fit adaptors, the woofer and tweeter can be easily mounted in ideal position.



HIGH PERFORMANCE SPECIAL EDITION



TS-J170C



The TS-J170C (High Performance Special Edition) has successfully inherited Pioneer's speaker engineering expertise of its upper model in creating clear and realistic sound for the listeners.

By adopting Pioneer's "Open & Smooth" sound concept, we can effectively deliver a wide frequency range of clarity, dynamic, and "live" sound in the car.

With the versatile installation design, installing the speakers will be a breeze.

17 cm COMPONENT SPEAKER PACKAGE

"Open & Smooth" sound concept and high resolution playback that deliver "live" sound

Dedicated crossover network that realizes seamless integration of high and low frequencies

By using the attached multi-fit adaptors, the woofer and tweeter can be easily mounted in ideal position

A Series Speakers

TS-A941FH



- 16cm x 24cm 4-Way Oval Speaker
- 650W Max.
- 100W Nom.
- Pioneer A Series Speaker
- Carbon & Mica Reinforced IMPPTM cone
- With Mesh grill

TS-A941F



- 16cm x 24cm 4-Way Oval Speaker
- 450W Max.
- 90W Nom.
- Pioneer A Series Speaker
- Carbon & Mica Reinforced IMPPTM cone
- With Mesh grill

Indian Exclusive Component Speakers

TS-C602IN



- 16cm Component Speaker
- 390W Max.
- 90W Nom.
- Indian Exclusive Component Speaker
- High rigid IMPPTM cone



Champion Series Oval Speakers

TS-6965V3



- 16 x 24cm 3-Way Oval Speaker
- 450W Max.
- 80W Nom.
- Pioneer Champion Series Speaker
- Light-weight non-pressed paper cone
- With Mesh grill

Champion series

TS-7150F



- 17.8x25.4cm 3-Way Oval Speaker
- 500W Max.
- 80W Nom.
- Pioneer Champion Series Speaker
- Light-weight non-pressed paper cone
- With Mesh grill

Champion series

TS-1602IN



- 16cm 2-Way Coaxial Speaker
- 350W Max.
- 50W Nom.
- Indian Exclusive Coaxial Speaker
- High rigid IMPPTM cone



R Series Co-Axial Speakers

TS-R1651D-2



- 16cm 3-Way Coaxial Speaker
- 300W Max.
- 40W Nom.
- Pioneer R Series Speaker
- Mica Reinforced Pulp cone
- 2 pairs

TS-R1651S-2



- 16cm 3-Way Coaxial Speaker
- 300W Max.
- 40W Nom.
- Pioneer R Series Speaker
- Mica Reinforced Pulp cone
- With Mesh grill

TS-R6951S



- 16 x 24cm 3-Way Oval Speaker
- 400W Max.
- 50W Nom.
- Pioneer R Series Speaker
- Multilayer Mica Matrix cone
- With Mesh grill

G Series Co-Axial Speakers

TS-G1620S-2



- 16cm 2-Way Coaxial Speaker
- 300W Max.
- 40W Nom.
- Pioneer G Series Speaker
- IMPPTM Composite cone

TS-G1610S-2



- 16cm Dual Cone Speaker
- 280W Max.
- 40W Nom.
- Pioneer G Series Speaker
- IMPPTM Composite cone

TS-G1320F



- 13cm 2-Way Coaxial Speaker
- 250W Max.
- 35W Nom.
- Pioneer G Series Speaker
- IMPPTM Composite cone
- With Mesh grill

TS-G1020S



- 10cm 2-Way Coaxial Speaker
- 210W Max.
- 30W Nom.
- Pioneer G Series Speaker
- IMPPTM Composite cone

TS-G1010S



- 10cm Dual Cone Speaker
- 190W Max.
- 30W Nom.
- Pioneer G Series Speaker
- IMPPTM Composite cone


Tweeters

TS-S20



- 20mm Component
- 200W Max.
- 50W Nom.
- Amorphous Titanium Coated PPS Dome
- Separate Cross-Over

WHERE WORDS FAIL MUSIC SPEAKS



SUBWOOFER

New Champion Series Dual Voice Coil Type Subwoofer at 1600W maximum power

LIGHT & RIGID HONEYCOMB DESIGN SEAMLESS CONE

HYBRID SURROUND

FIRMLY ENCLOSED BOTTOM BASKET

LARGE & POWERFUL MOTOR ASSEMBLY



TS

1212D4

HIGH POWER HANDLING AND HIGH ENDURANCE

Dual layer, fiber reinforced elastic polymer surround. High heat resistance voice coil & Large magnet with high heat dissipation.

DEEPER & LOUDER BASS

Rigid seamless structure cone and honeycomb design cap. Double stacked large magnets.

HEAVY AND HIGH STURDY STRUCTURE

Heavy magnetic circuit and an optimised basket to hold it. Firmly enclosed bottom basket for accurate cone motion.

- 30cm Component Subwoofer
- 1600W Max.
- 500W Nom.
- Powerful Composite Cone design
- 4Ω Dual Voice Coil Type
- Fully Enclosed Basket
- Pioneer Champion Series Subwoofer

Champion series

In-built Amplifier Subwoofer

TS-WX300A



Active Box Bass Reflex System for high quality bass sound with a built-in Class-D amplifier.

- Active Box Subwoofer
- 1,300W Max.
- 350W Nom.
- Higher SPL and Louder Bass
- Class-D Amplifier

Easy bass reinforcement | Amazing bass volume | Adopt sound quality adjustment board | Flexible Installation

TS-WX300TA



CarSoundFit

Active Tube Bass Reflex System for high quality bass sound with a built-in Class-D amplifier.

- Active Tube Subwoofer
- 1,300W Max.
- 350W Nom.
- Higher SPL and Louder Bass
- Class-D Amplifier

Flexible connection | Amazing bass volume | Easy bass reinforcement Sound quality adjustment

Enclosed Subwoofer

TS-WX306B



A shallow enclosure for high-punch bass upto 1300W (max) for smaller boot space

- 30cm Box type Subwoofer
- 1,300W Max.
- 350W Nom.
- High Rigid IMPPTM Composite cone
- Voice Coil Cooling System
- 4Ω Single Voice Coil Type

Best Tuned Enclosure System (Box) | Powerful Composite Cone design | Large Suspension System

TS-WX306T



1300W (max) subwoofer enclosed in a bass reflex tube for deeper bass and better endurance

- 30cm Tube type Subwoofer
- 1,300W Max.
- 350W Nom.
- High Rigid IMPPTM Composite cone
- Voice Coil Cooling System
- 4Ω Single Voice Coil Type

Best Tuned Enclosure System (Tube) | Powerful Composite Cone design | Large Suspension System

TS-WX3000T



- Advanced 30cm Tube type Subwoofer
- 1600W Max.
- 500W Nom.
- High Durability
- Rigid Design & Toughness Structure
- Punchy & Profound Sound
- 4Ω Single Voice Coil Type

Champion series

TS-W1212S4



- 30cm Component Subwoofer
- 1600W Max.
- 500W Nom.
- Powerful Composite Cone design
- 4Ω Single Voice Coil Type
- Fully Enclosed Basket
- Pioneer Champion Series Subwoofer
- Dual-layer Surround

Champion series

TS-WX1202D4



- 30cm Component Subwoofer
- 1500W Max.
- 400W Nom.
- Powerful Composite Cone design
- 4Ω Dual Voice Coil Type
- Fully Enclosed Basket
- Pioneer Champion Series Subwoofer
- Dual-layer Surround

Champion series

TS-WX1202S4



SINGLE VOICE COIL TYPE

- 30cm Component Subwoofer
- 1500W Max.
- 400W Nom.
- Powerful Composite Cone design
- 4Ω Single Voice Coil Type
- Fully Enclosed Basket
- Pioneer Champion Series Subwoofer
- Dual-layer Surround

Champion series

Active Subwoofer

TS-WX400DA



MRP. ₹ 25,800

- Advanced Active Subwoofer
- 250W Max.
- 100W Nom.
- Underseat type Subwoofer
- Digital Bass Control
- Class-D Amplifier
- With Wired Remote

DIGITAL BASS CONTROL CarSoundFit

TS-WX130EA




MRP. ₹ 19,200

- Space Saving Active Subwoofer
- 160W Max.
- 50W Nom.
- Underseat type Subwoofer
- Class-D Amplifier

Comparison Chart - Speakers

| | Component speakers | | | | 16cm speakers | | | | 13cm speakers | 10cm speakers | | Tweeters |
|---------------------|-------------------------|-------------------------|-------------------------|------------------|------------------|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Series | Special Edition | Special Edition | Special Edition | Indian Exclusive | Indian Exclusive | R-series | G- Series | | G-series | G- Series | | TS-S20 |
| Model no. | TS-VR170C | TS-V170C | TS-J170C | TS-C602IN | TS-1602IN | TS-R1651S-2, TS-R1651D-2 | TS-G1620S-2 | TS-G1610S-2 | TS-G1320F | TS-G1020S | TS-G1010S | |
| Type | 2 Way Component Speaker | 2 Way Component Speaker | 2 Way Component Speaker | 2-way | 2-way | 3-way | 2-way | Dual cone | 2-way | 2-way | Dual cone | Tweeter |
| Size | 17 cm | 17 cm | 17 cm | 16 cm 20 mm* | 16 cm | 16 cm | 16 cm | 16 cm | 13 cm | 10 cm | 10 cm | 20 mm |
| Max power (Nominal) | 300W(100W) | 280W(60W) | 260W (45W) | 390W (90 W) | 350W (50W) | 300W (40W) | 300W (40W) | 280 W (40W) | 250W (35W) | 210W (30W) | 190W (30W) | 200W (50W) |
| Frequency response | 31 Hz ~ 65,000 Hz | 33 Hz ~ 64,000Hz | 30 Hz ~ 58,000Hz | 30 Hz ~ 30 kHz | 30 Hz ~ 35 kHz | 30 Hz ~ 18 kHz | 31 Hz ~ 18 kHz | 37 Hz ~ 16 kHz | 33 Hz ~ 24 kHz | 35 Hz ~ 27 kHz | 44 Hz ~ 25 kHz | 3 kHz ~ 26 kHz |
| Sensitivity | 90 dB | 90 dB | 91db | 88 dB | 88 dB | 90 dB | 89 dB | 90 dB | 88 dB | 87 dB | 89 dB | 92 dB |
| Impedance | 4 Ω | 4 Ω | 4 Ω | 4 Ω | 4 Ω | 4 Ω | 4 Ω | 4 Ω | 4 Ω | 4 Ω | 4 Ω | 8 Ω |
| Mounting depth | 58 mm | 57 mm | 55 mm | 53 mm 14mm* | 53 mm | 42 mm | 42 mm | 42 mm | 44 mm | 43 mm | 43 mm | |
| Cut-out dimension | 137 mm | 137 mm | 137 mm | 128 mm | 128 mm | 128 mm | 128 mm | 128 mm | 121 mm | 106 mm | 106 mm | |

*Tweeter specifications



Comparison Chart - Oval speakers

| | 16cm x 24cm speakers | | | |
|---------------------|----------------------|-----------------|-----------------|-----------------|
| Series | Champion series | A-series | | R-series |
| Model no. | TS-6965V3 | TS-A941FH | TS-A941F | TS-R6951S |
| Type | 3-way | 4-way | 4-way | 3-way |
| Size | 16 cm x 24 cm | 16 cm x 24 cm | 16 cm x 24 cm | 16cm x 24cm |
| Max power (Nominal) | 450W (80W) | 650W (100W) | 450W (90W) | 400 W (50 W) |
| Frequency response | 23 Hz ~ 26 kHz | 22 Hz ~ 24 kHz | 35 Hz ~ 24 kHz | 31 Hz ~ 35 kHz |
| Sensitivity | 91 dB | 90 dB | 89 dB | 92 dB |
| Impedance | 4 Ω | 4 Ω | 4 Ω | 4 Ω |
| Mounting depth | 84 mm | 86 mm | 72 mm | 68 mm |
| Cut-out dimension | 151 mm x 220 mm | 153 mm x 222 mm | 153 mm x 222 mm | 153 mm x 222 mm |

Comparison Chart - Subwoofers

| | Active subwoofers | | | | | Enclosed subwoofers | | | Enclosed subwoofers | | |
|-----------------------|---------------------|---------------------|------------------------|------------------------|-------------------|---------------------|----------------|----------------|---------------------|--------------------------|--------------------------|
| Model no. | TS-WX130EA | TS-WX400DA | TS-W1202S4 | TS-W1202D4 | TS-WX300A | TS-WX300TA | TS-WX306B | TS-WX306T | TS-WX3000T | TS-W1212D4 | TS-W1212S4 |
| Type | Under Seat (Active) | Under Seat (Active) | Single Voice Coil | Dual Voice Coil | Box type (Active) | Tube type (Active) | Box type | Tube type | Tube type | Dual voice coil | Single voice coil |
| Size | 20 cm x 13 cm | 21cm | 30 cm | 30 cm | 30 cm | 30 cm | 30 cm | 30 cm | 30 cm | 30 cm | 30 cm |
| Max power (Nominal) | 160W (50W) | 250W (100W) | 1500W (400W) | 1500W (400W) | 1300W (350W) | 1300W (350W) | 1300W (350W) | 1300W (350W) | 1600W (500W) | 1600W (500W) | 1600W (500W) |
| Frequency response | 40 Hz ~ 200 Hz | 20 Hz ~ 100 Hz | 22 Hz ~ 1.6 KHz | 22 Hz ~ 1.6 KHz | 20 Hz ~ 130 Hz | 20 Hz ~ 130 Hz | 20 Hz ~ 125 Hz | 20 Hz ~ 125 Hz | 20 Hz ~ 2.5 kHz | 20 Hz ~ 1.6 kHz (-20 dB) | 20 Hz ~ 1.6 kHz (-20 dB) |
| Sensitivity | 98 dB | 100 dB | 90 dB | 90 dB | 113 dB | 114 dB | 94 dB | 96 dB | 88 dB | 92 dB (±1.5 dB) in car | 92 dB (±1.5 dB) in car |
| Impedance | - | - | 4 Ω /Single voice coil | 4 Ω /Single voice coil | - | - | 4 Ω | 4 Ω | 4 Ω | 4 Ω /Dual voice coil | 4 Ω /Single voice coil |
| Mounting depth | - | - | 146 mm | 146 mm | - | - | - | - | - | 157 mm | 157 mm |
| Cut-out dimension | - | - | 281 mm | 281 mm | - | - | - | - | - | 283 mm | 283 mm |
| Recommended enclosure | - | - | 24.1 L ~ 49.5 L | 24.1 L ~ 49.5 L | - | - | - | - | - | 24.1 L ~ 49.5 L | 24.1 L ~ 49.5 L |

AMPLIFIER



GM

X874

1200W MAX., CLASS-D 4-CHANNEL
BRIDGEABLE AMPLIFIER WITH WIRED
BASS BOOST REMOTE

HIGH RESOLUTION AUDIO

Pioneer's new GM-DX874 Class-D digital amplifier is equipped with high quality sound components and tuning and is compatible with "Hi-Resolution" audio allowing simply the highest quality sound reproduction! The perfect partner to Pioneer's exclusive speaker range, TS-Z Series! *The product with Hi-Res AUDIO logo is conformed to High-Resolution Audio standard defined by Japan Audio Society. The logo is used under license from Japan Audio Society.

HIGHER QUALITY PARTS

Unlike conventional 5 Channel Amplifier, Pioneer GM-D9705 has dedicated large block terminals to drive subwoofer with plenty of power. Variable Low Pass Filter has two types of slopes, selectable according to subwoofer characteristics and personal listening preference. It is equipped with A/B-Sw Input select.

HIGH CAPACITY AUDIO SOURCE CAPACITOR

Pioneer original high capacity audio power source capacitor contributes to higher sound quality and stable power allotment event at high output.

| | |
|--|---------------|
| Number of Channels | 4/3/2 |
| Max. Wattage (4Ω) | 200W X 4 |
| Max. Wattage (2Ω) | 300W X 4 |
| Max. Wattage (1Ω) | - |
| Max. Wattage Bridge | 600W X 2 |
| RMS (4Ω <= 1% THD+N) | 100W X 4 |
| Wattage RMS (2Ω <= 1% THD+N) | 150W X 4 |
| Wattage RMS (1Ω <= 1% THD+N) | 125W X 2 |
| | 300W X 2 |
| Frequency Response | 10Hz to 20KHz |
| Total Harmonic Distortion (1KHz, 4Ω) | <0.05% |
| Signal-to-Noise Ratio (IHF-A Weighted) | >95dB |
| Dimension (W x H x D) | 252X60X215mm |



Pioneer's new extra-efficient Class-D digital amplifiers mark a dramatic improvement in power output capability, yet are 50% smaller than the current GM-Series Class-AB amplifiers. That makes them more versatile in terms of installation as well as performance.



Class FD
Bass Boost Remote

Variable HPF

Variable LPF

RCA IN/OUT

SPEAKER INPUT

1ohm

Note: * The product with Hi-Res AUDIO logo is conformed to High-Resolution Audio standard defined by Japan Audio Society. The logo is used under license from Japan Audio Society.



GM-E7004



500W Max. → 125W X 4
or 500 X 2 (bridge)
RMS : 70X4 @ 4Ω or 95X2 @ 2Ω
4-Channel Bridgeable Amplifier

GM-E7002



Max. 125X2 or 500X1 bridge
RMS : 70X2 @ 4Ω or 95X2 @ 2Ω
2-Channel Bridgeable Amplifier

Common features

Bass Boost

Give more juice to your sound. Two-step Bass Boost allows precise control for optimal bass, giving you enhanced sound impact based on your music choice and style.



Allows you to connect the amplifier to your source without RCA-type inputs and without the need for adapters.



Use your RCA interconnect cables for hassle-free linking of the amplifier to the source unit.



Allows adjustment of the Low-Pass Filter according to your listening preference.



Adjust your High-Pass Filter frequency for greater audio flexibility.

Class D Amplifiers

GM-D9701

2400W Max., Class-D Mono Amp,
with Bass Boost Remote



Pioneer's new extra-efficient Class-D digital amplifiers mark a dramatic improvement in power output capability, yet are 50% smaller than the current GM-Series Class-AB amplifiers. That makes them more versatile in terms of installation as well as performance.

- Highly Reliable Circuit Design
- Automatic Signal Sensing & Turn ON



GM-D8704

1,200W Max., Class-D 4-Channel
Bridgeable Amplifier with
Wired Bass Boost Remote



- Highly Reliable Circuit Design



GM-D8701

1600W Max., Class D Mono Amplifier
with Wired Bass Boost Remote



- Highly Reliable Circuit Design



| | GM-D9701 | GM-D8704 | GM-D8701 |
|--|--|--|---|
| Number of Channels | Mono | 4/3/2 | Mono |
| Max. Wattage (4Ω) Max. Wattage (2Ω) Max. Wattage (1Ω) Max. Wattage Bridge | 1000W X 4 1600W X 4 2400W X 2 - | 200W X 4 300W X 4 - 600W X 2 | 600W X 1 1000W X 1 1600W X 1 - |
| RMS (4Ω <= 1% THD+N) Wattage RMS (2Ω <= 1% THD+N) Wattage RMS (1Ω <= 1% THD+N) | 500W X 4 800W X 4 1200W X 2 - | 100W X 4 150W X 4 125W X 4 300W X 2 | 300W X 1 500W X 1 800W X 1 - |
| Frequency Response | 10Hz to 240Hz | 10Hz to 50Hz | 10Hz to 240Hz |
| Total Harmonic Distortion (1KHz, 4Ω) | <0.05% (100Hz) | <0.05% | <0.05% (100Hz) |
| Signal-to-Noise Ratio (IHF-A Weighted) | >100dB | >95dB | >100dB |
| Dimension (W x H x D) | 302X60X215mm | 252X60X215mm | 252X60X215mm |

ND-BC02


The ND-BC02 is designed to capture vivid images with minimal noise regardless of the operating condition. Rated IP67, this camera can withstand water, dirt, and sand. It also incorporates a highly efficient color sensor and modern electronics, reducing your power consumption.

| | | | |
|-------------------------|------------------------------------|-------------------------|------------------|
| Lens | Wide-angle, Focal length f=1.62 mm | Angle of View (approx.) | H:120° / V: 100° |
| F Value | 2.0 | Horizontal resolution | ~420 TV lines |
| Illumination range | 0.5 to 100,000 LUX | Max current consumption | 100mA or less |
| Effective no. of pixels | ~3,45,600 | S/N Ratio | 48dB or more |
| Parking Guide OSD | Yes | Operating temperature | -30°C to +70°C |

UNIVERSAL REAR VIEW CAMERA



Protection against
Water & dust



1/3 inch Highly efficient
Color CMOS sensor